Polymer Bulletin

© Springer-Verlag 1987

Author Index Volume 18 (1987)

Aalten HAA van, see Gorshkov AV, et al. 513
Alberdi JM, Alegría A, Macho E, Colmenero J: Viscosity and relaxation times temperature behaviour above the glass transition in some glassy polymers 39
Alegría A, see Alberdi JM, et al. 39
Alonso MA, Farona MF: Homo- and copolymerization of some norbornadiene dimer monomers 203
Ananías SI, see Rivas BL 189
Ancelle J, see Attias AJ, et al. 217
Aoki T, see Kawakami Y, et al. 473
Aoshima S, see Higashimura T, et al. 111
Asami R, see Takaki M, et al. 105
Asano I, see Tsubokawa N, et al. 377
Attias AJ, Ancelle J, Bloch B, Lauprêtre F: Chemical structure of networks resulting from curing of diglycidylamine-type resins with aromatic amines. 1. Detection and characterization of cyclisation reactions on model compounds 217
Azori M, see Fehérvári F, et al. 225

Balzano E, Maglio G, Palumbo R: Synthesis and preliminary characterization of rubber-polyamide multiblock copolymers 233
Bao G-L, Yun W-Q, Fang S-B, Jiang Y-Y: Ionic conductivity of polyelectrolyte derivatives of poly(vinyl alcohol)-lithium ion complex films 143
Barson CA, Behari K, Bevington JC: The reactivities of polymer radicals towards stilbene; the cases of vinyl methyl ketone, isopropenyl methyl ketone, styrene and α-methylstyrene 265
Behari K, see Barson CA, et al. 265
Bello A, see Pérez E, et al. 59
Bertorello HE, see González MA 391
Bessière J-M, Boutevin B, Sarraf L: Structural study by ^{1}H NMR of the first adducts of the telomerization of methylmethacrylate with thiophenol 253
Bevington JC, see Barson CA, et al. 265
Biswas M, see Moitra S 472 (Erratum)
Bloch B, see Attias AJ 217
Bohrer EK, see Hartman KO 403
Boutevin B, see Bessière J-M, et al. 253
Bouwstra JA, Miltenburg JC van, Roorda WE, Junginger HE: Polymer-water interactions in cross-linked gels determined by calorimetric measurements 337
Brauer E, Wild C, Wiegleb H: Characterization of ethylene homo- and copolymers. VI. Determination of chemical composition of (norbornene ethylene)copolymers 73
Brown W, see Štěpánek P, et al. 175

Caramella C, Colombo P, Conte U, Ferrari F, Gazzaniga A, La Manna A, Peppas NA: The mechanisms of disintegration of compressed particulate systems 541
Chao HS-I: Tri-n-butyltin hydride reduction of the end group of a polyphenylene ether 131
Chien JCW, see Ramakrishnan S 425
Cho C-S, Kang S-W, Lim J-W: Complex formation between copper(II) and poly-N^5-(3-hydroxypropyl)-L-glutamine 447
Colmenero J, see Alberdi JM, et al. 39
Colombo P, see Caramella C, et al. 541
Comăniță E, see Simionescu CI, et al. 13
Conte U, see Caramella C, et al. 541
Cortázar M, Eguiazábal JI, Uriarte C, Iruin JJ: Glass transition temperatures of plasticized polyarylate 149
Čoupek J, see Kahovec J, et al. 495

Deffieux A, see Heroguez V, et al. 287
De La Maza MP, see Tagle LH, et al. 485
Díaz FR, see Tagle LH, et al. 479, 485
Douglas JF, see Gaylord RJ 347
Dupuis J, Seguela R, Sombrot B, Legrand P, Rietsch F: Original method for studying the tensile drawing behaviour of polymers by infrared spectroscopy at high-strain rates 323
Dušek K, Ilavský M, Somvársky J: Network build-up by initiated polyreaction. 4. Derivation of postgel parameters for postetherification in diamine-diepoxide curing 209
Dušek K, see Koňák Č, et al. 329

Eguiazábal JI, see Cortázar M, et al. 149
Elsabee MZ, see Sabaa MW, et al. 9
Enoki T, see Sawamoto M, et al. 117
Ericsson J, Hult A: Di-styrene-ethers. A novel class of cationically polymerizable oligomers 295
Eshima K, see Hasegawa E, et al. 65
Evreinov VV, see Gorshkov AV, et al. 513

Fang S-B, see Bao G-L, et al. 143
Farona MF, see Alonso MA 203
Farona MF, see Sabade MB 441
Fatou JG, see Pérez E, et al. 59
Faust R, see Mah S, et al. 433
Fehérvári F, Azori M, Földes-Berezsnich T, Tüdős F: Analysis of the role of complex in the alternating copolymerization of N-vinylpyrrolidone and maleic anhydride 225
Feit K, see Petermann J, et al. 355
Feng XD, Guo XQ, Qiu KY: Studies on the initiation mechanism of persulfate/aliphatic secondary amine system in vinyl polymerization 19
Fenyo JC, see Vandevelde MC 47
Ferrari F, see Caramella C, et al. 541
Fitzgerald ER, Fitzgerald RE: Automated measurement system for dynamic mechanical properties of viscoelastic materials 167
Fitzgerald RE, see Fitzgerald ER 167
Földes E, Iring M, Tüdős F: Degradation of HDPE and LLDPE in closed mixing chamber. A comparison. I. Changes in the chemical structure 525
Földes-Berezsnich T, see Fehérvári F, et al. 225
Fontanille M, see Heroguez V, et al. 287

Gadkari AC, Zsuga M, Kennedy JP: Preparative GPC in fundamental polymer synthesis 317
Gaylord RJ, Douglas JF: Rubber elasticity: a scaling approach 347
Gazzaniga A, see Caramella C, et al. 541
Gehrhardt H, Mutter M: Soluble polymers in organic chemistry. 5. Preparation of carboxyl- and amino-terminal polyethylene glycol of low molecular weight 487
Goh SH, see Ng SC, et al. 155

González MA, Bertorello HE: Synthesis of epoxidized poly(1,3-butadiene-co-acrylic acid) resins 391
Gorshkov AV, Overeem T, Evreinov VV, Aalten HAA van: Determination of functional type distribution of oligocaprolactonediols by liquid chromatography under critical conditions 513
Guo XQ, see Peng XD, et al. 19

Hanada Y, see Takaki M, et al. 105
Harland RS, Peppas NA: Solute diffusions in swollen membranes. VI. A model for diffusion in heterogeneous media 553
Hartman KO, Bohrer EK: Synthesis and characterization of polyisobutylene propellant binders 403
Haruvy Y: Grafting onto TEDLAR films by the electron beam preirradiation technique. I. Grafting with acrylamide in aqueous solutions 137
Harwood HJ, see Trumbo DL 27
Hasegawa E, Eshima K, Matsushita Y, Ohno H, Tsuchida E: Characterization of polymerized vesicles derived from polymerizable 1,3-diacylglycero-2-phosphocholines: formation of large unilamellar vesicles by ultrasonication 65
Havinga EE, Horssen LW van, Hoeve W ten, Wynberg H, Meijer EW: Self-doped water-soluble conducting polymers 277
Hedrick JL, Labadie JW, Hofer DC: Solid state properties of phenylquinoxaline-arylene ester copolymers 417
Hedrick JL, see Labadie JW, et al. 411
Heinrich G, Straube E: The onset of tube-like constraining effects in polydisperse polymer melts 53
Heroguez V, Deffieux A, Fontanille M: Kinetic study of the polymerization of chloro ethyl vinyl ether initiated by the system hydrogen iodide/iodine 287
Higashimura T, Kishimoto Y, Aoshima S: Living cationic polymerization of vinyl monomers by organoaluminum halides. 2. $EtAlCl_2$/dioxane initiating system for living polymerization of isobutyl vinyl ether 111
Higashimura T, see Sawamoto M, et al. 117
Hoeve W ten, see Havinga EE, et al. 277
Hofer DC, see Hedrick JL, et al. 417
Hofer DC, see Labadie JW, et al. 411
Horssen LW van, see Havinga EE, et al. 277
Hosea TJC, see Ng SC, et al. 155
Hsu CS, Percec V: Synthesis and characterization of biphasic liquid crystalline polysiloxanes containing 4-undecanyloxy-4'-cyanobiphenyl side-groups 91
Huang H-H, Wilkes GL: Structure-property behavior of new hybrid materials incorporating oligomeric poly(tetramethylene oxide) with inorganic silicates by a sol-gel process. 3. Effect of oligomeric molecular weight 455
Hult A, see Ericsson J 295
Hyun SH, Nishide H, Tsuchida E, Yamada S: Preparation and oxidative polymerization of 2-methyl-6-geranylphenol 283

Ilavský M, see Dušek K, et al. 209
Ilavský M, see Lipták J, et al. 81
Iring M, see Földes E, et al. 525
Iruin JJ, see Cortázar M, et al. 149

Jakeš J, see Kořák Č, et al. 329
Jakeš J, see Štěpánek P, et al. 175
Jelínková M, see Kahovec J, et al. 495
Jialanella G, Piirma I: Synthesis of poly(vinyl alcohol-co-vinyl gallate) by the chemical modification of poly(vinyl alcohol) 385
Jiang Y-Y, see Bao G-L, et al. 143
Johnsen R, see Stepánek P, et al. 175
Junginger HE, see Bouwstra JA, et al. 337

Kahovec J, Jelínková M, Coupek J: Chemical modification of macroreticular 2-hydroxyethyl methacrylate - Ethylene dimethacrylate copolymers 495
Kang S-W, see Cho C-S, et al. 447
Karbach A, see Petermann J, et al. 355

Kaszás G, Puskás J, Kennedy JP: Living carbocationic polymerization. XV. Telechelic polyisobutylenes by the $CH_3O(CH_3)_2C\text{-}pC_6H_4\text{-}C(CH_3)_2OCH_3 \cdot TiCl_4$ initiating system 123
Kawakami Y, Aoki T, Yamashita Y: Synthesis of well-defined graft copolymer with oligodimethylsiloxane and polyvinylalcohol branches 473
Kennedy JP, see Gadkari AC, et al. 317
Kennedy JP, see Kaszás G, et al. 123
Kennedy JP, see Mah S, et al. 433
Kim DH, Kim SC: Vitrification effect on the curing reaction of epoxy resins 533
Kim SC, see Kim DH 533
Kim SC, see Yoo YD 247
Kishimoto Y, see Higashimura T, et al. 111
Kořák Č, see Štěpánek P, et al. 175
Kořák Č, Tuzar Z, Jakeš J, Štěpánek P, Dušek K: Light scattering from dilute solutions of critically branched epoxy resins 329
Korp G, Ritter H: Stereoselective ester hydrolysis of monomeric and polymeric methacryl derivatives containing methionine by pig liver esterase (PLE) 271
Kunugi S, Yamada H, Nakamura Y, Tokunaga F, Tanaka A: Oriented immobilization of bacteriorhodopsin in synthetic polymer membranes by use of electric static field 87
Kunzler JF, Percec V: Living non-conjugated polyacetylenes 303

Laakso J, Österholm J-E, Lindberg JJ: Syntheses and electrical conductivities of some nitrogen- and sulphur-containing polymers 195
Labadie JW, Hedrick JL, Hofer DC: Synthesis and characterization of phenylquinoxaline-arylene ester block copolymers 411
Labadie JW, see Hedrick JL, et al. 417
La Manna A, see Caramella C, et al. 541
Lauprêtre F, see Attias AJ, et al. 217
Leclerc M, Prud'homme RE: Theoretical analysis of model compounds of substituted poly(acetylenes): conformation versus electronic properties 159
Legrand P, see Dupuis J, et al. 323
Lim J-W, see Cho C-S, et al. 447
Lin HQ, see Song MS, et al. 545
Lindberg JJ, see Laakso J, et al. 195
Lipták J, Nedbal J, Ilavský M: Dielectric behaviour of swollen poly(acrylamide) gels in the collapse region 81
Liu S, Mark JE: Precipitation of iron oxide filler particles into an elastomer 33

Macho E, see Alberdi JM, et al. 39
Macosko CW, Saam JC: The hydrosilylation cure of polyisobutene 463
Maglio G, see Balzano E, et al. 233
Mah S, Faust R, Zsuga M, Kennedy JP: New telechelic polymers and sequential copolymers by polyfunctional initiator-transfer agents (inifers). LV. Tert.-chlorine capped polyisobutylenes by aliphatic inifers 433
Mark JE, see Liu S 33
Mark JE, Sun C-C: Polymer-modified silica glasses. I. Control of sample hardness 259
Mark JE, see Sur GS 369
Mathias LJ, see Sikes AM 397
Matlengiewicz M: Determination of compositional sequences in PCT/PT aromatic copolyterephthalate by ^1H-NMR spectroscopy and $Pr(fod)_3$ lanthanide shift reagent 507
Matsuguchi M, see Sakai Y, et al. 501
Matsushita Y, see Hasegawa E, et al. 65
Meijer EW, see Havinga EE, et al. 277
Melissaris AP, Mikroyannidis JA: Polymerization of maleimides containing s-triazine rings in presence of aromatic di- or tri-amines 1
Mikhael MG, see Sabaa MW, et al. 9
Mikroyannidis JA, see Melissaris AP 1
Miltenburg JC van, see Bouwstra JA, et al. 337
Moitra S, Biswas M: Cation exchange resins from chemically modified poly(vinyl chloride) 472 (Erratum)
Mutter M, see Gehrhardt H 487

Nakamura Y, see Kunugi S, et al. 87
Nedbal J, see Lipták J, et al. 81

Ng SC, Hosea TJC, Goh SH: Glass transition of polyethylene as studied by Brillouin spectroscopy 155
Ni JL, see Song MS, et al. 545
Nishide H, see Hyun SH, et al. 283

Ochiai N, see Takaki M, et al. 105
Österholm J-E, see Laakso J, et al. 195
Oh S-C, Yamaguchi K, Shirota Y: Photopolymerization and photocycloaddition reactions in the 2-vinylnaphthalene-maleic anhydride system 99
Ohno H, see Hasegawa E, et al. 65
Overeem T, see Gorchkov AV, et al. 513

Palumbo R, see Balzano E, et al. 233
Păstrăvanu M, see Simionescu CI, et al. 13
Peppas NA, see Caramella C, et al. 541
Peppas NA, see Harland RS 553
Percec V, see Hsu CS 91
Percec V, see Kunzler JF 303
Percec V, Tomazos D: Liquid crystalline copoly(vinylether)s containing 4(4')-methoxy-4'(4)-hydroxy-α-methylstilbene constitutional isomers as side groups 239
Pérez E, Bello A, Fatou JG: Effect of quenching on the polymorphic crystallization of poly(oxetane) 59
Petermann J, Karbach A, Feit K: Ultradrawing of "springy" polypropylene films 355
Piirma I, see Jialanella G 385
Popa A-A, see Simionescu CI, et al. 13
Pramanick D, Ray TT: Synthesis and biodegradation of copolyesters derived from glutamic acid 311
Prud'homme RE, see Leclerc M 159
Puskás J, see Kaszás G, et al. 123

Qiu KY, see Fong XD, et al. 19

Ramakrishnan S, Chien JCW: Acetylene-cyclopentene copolymers 425
Rao VL, see Sakai Y, et al. 501
Ray TT, see Pramanick D 311
Rietsch F, see Dupuis J, et al. 323
Ritter H, see Korp G 271
Rivas BL, Ananías SI: Ring opening polymerization of 2-ethyl-2-oxazoline 189
Rieger J: An example of spontaneous symmetry breaking in polymer physics 343
Rizzo G, Spadaro G: Deformation recovery behaviour of a solid polymer after tensile yielding. II. Effect of temperature 361
Roorda WE, see Bouwstra JA, et al. 337
Ryan AJ, Stanford JL, Wilkinson AN: Structure-property relations in non-linear, segmented copolyureas formed by reaction injection moulding, RIM 517

Saam JC, see Macosko CW 463
Sabaa MW, Mikhael MG, Yassin AA, Elsabee MZ: Effect of $ZnCl_2$ on the copolymerization of acrylonitrile with N-2-chlorophenylmaleimide 9
Sabade MB, Parona MF: Oligomerization of alkynes by hafnocene dichloride/ethylaluminum dichloride 441
Sadaoka Y, see Sakai Y, et al. 501
Sakai Y, Rao VL, Sadaoka Y, Matsuguchi M: Humidity sensor composed of a microporous film of polyethylene-graft-poly-(2-acrylamido-2-methylpropane sulfonate) 501
Sarraf L, see Bossière J-M, et al. 253
Sawamoto M, Enoki T, Higashimura T: End-functionalized polymers by living cationic polymerization. 3. Ring-substituted anilines as functional end-capping agents for the synthesis of poly(isobutyl vinyl ether) with a terminal amine, carboxylic acid, or ester group 117
Seguela R, see Dupuis J, et al. 323
Shirota Y, see Oh S-C, et al. 99
Sikes AM, Mathias LJ: Synthesis and characterization of in situ anionically polymerized p-aminobenzoylcaprolactam using di- and trifunctional initiator systems 397
Simionescu CI, Comăniță E, Păstrăvanu M, Popa A-A: Bifunctional initiators: synthesis of phenylazo-formamidoethyl 4-t-butylazo-4-cyanovalerate 13
Sombret B, see Dupuis J, et al. 323
Somvársky J, see Dušek K, et al. 209
Sone Y, see Tsubokawa N, et al. 377
Song MS, Lin HQ, Ni JL: Elastic properties of swollen real polymer networks 545
Spadaro G, see Rizzo G 361
Stanford JL, see Ryan AJ, et al. 517
Štěpánek P, Jakeš J, Koňák Č, Johnsen R, Brown W: Dynamic light scattering measurements on the polystyrene/ethyl acetate system at semi-dilute concentrations as a function of temperature 175
Štěpánek P, see Koňák Č, et al. 329
Straube E, see Heinrich G 53
Sun C-C, see Mark JE 259
Sur GS, Mark JE: Some reinforcing characteristics of iron-based fillers 369
Szuga M, see Mah S, et al. 433

Tagle LH, Díaz FR, De La Maza MP: Polymerization by phase transfer catalysis. 7. Effect of the catalyst on the hydrolysis of bisphenol a polythiocarbonate 485
Tagle LH, Díaz FR, Valdebenito N: Polymerization by phase transfer catalysis. 6. Synthesis and thermal degradation of phenolphthalein polythiocarbonate 479
Takaki M, Asami R, Hanada Y, Ochiai N: Preparation of (vinylbenzylimino)oligo(DL-phenylalanine NCA) macromer with narrow molecular weight distribution 105
Tanaka A, see Kunugi S, et al. 87
Tokunaga F, see Kunugi S, et al. 87
Tomazos D, see Percec V 239
Trumbo DL, Harwood HJ: Analysis of the 300 MHz PMR spectrum of poly(p-bromostyrene) 27
Tsitsilianis C: Differentiation between the conformational transitions of polymers and the transition observed near the theta conditions 183
Tsubokawa N, Asano I, Sone Y: Cationic ring-opening polymerization of 2-substituted-2-oxazolines initiated by carbon black surface 377
Tsuchida E, see Hasegawa E, et al. 65
Tsuchida E, see Hyun SH, et al. 283
Tüdős F, see Fehérvári T, et al. 225
Tüdős F, see Földes E, et al. 525
Tuzar Z, see Koňák Č, et al. 329

Uriarte C, see Cortázar M, et al. 149

Valdebenito N, see Tagle LH, et al. 479
Vandevelde MC, Penyo JC: Estimation of the charge density of arabic acid by potentiometry and dye binding 47

Wiegleb H, see Brauer E, et al. 73
Wild C, see Brauer E, et al. 73
Wilkes GL, see Huang H-H 455
Wilkinson AN, see Ryan AJ, et al. 517
Wynberg H, see Havinga EE, et al. 277

Yamada H, see Kunugi S, et al. 87
Yamada S, see Hyun SH, et al. 283
Yamaguchi K, see Oh S-C, et al. 99
Yamashita Y, see Kawakami Y, et al. 473
Yassin AA, see Sabaa MW, et al. 9
Yoo YD, Kim SC: Thermal behavior of the smectic/nematic thermotropic liquid crystalline polyester blends 247
Yun W-Q, see Bao G-L, et al. 143

Zsuga M, see Gadkari AC, et al. 317

Polymer Bulletin

© Springer-Verlag 1987

Subject Index Volume 18 (1987)

Acacia senegal gum 47
Acetylene-cyclopentene copolymers 425
Acrylamide, grafting 137
Acrylamide polymerization 19
Acrylonitrile 9
Acyclic olefins, metathesis 203
Adhesion 369
Alkynes, oligomerization 441
Amines, secondary 19
Amino acids, racemic 271
o-Aminobenzoylcaprolactam 397
Amino-terminal polyethylene glycol 487
Amphiphiles, synthetic 65
Arabic acid, charge density 47
Aramide-amide copolymers 397
Aromatic amines 217
Aspergillus niger 311
Automated measurement system 167
Azo compounds 13

Bacteriorhodopsin, immobilization 87
Battery, solid-state rechargeable 143
Binifers 433
Biomembrane 65
Biphenol A polythiocarbonate, hydrolysis 485
Blends, mesogenic binary 247
-, smectic/nematic thermotropic 247
Block copolymers 411, 417, 473
Blocks 233
Boron trifluoride etherate 189
Branched polymers, critically 329
Brillouin spectroscopy 155

Carbocationic polymerization, living 123
Carbonate, biphenol A polythio 485
-, hydrolysis 485
Carbon black 369, 377
Carbon black-polymer interactions 545
Carboxyl-terminal polyethylene glycol 487
Carriers 65
Catalysts 479, 485
Catalyst system 203
Cationic copolymerization 239
Cationic ring-opening polymerization 377
Ceramics 259
Chain-backbone effects 183
Charge carriers, mobility 81
Charge density 47
Chloroethyl vinyl ether 287
2-Chloroethyl vinyl ether 239
N-2-Chlorophenylmaleimide 9

Circular dichroism 447
Collapse region 81
Compacts, disintegration 541
L-Components, ester-hydrolysis 271
Composites 167
Compressed particulate systems, disintegration 541
Conducting polymers, self-doped water-soluble 277
Conductivity 143, 195, 425
Conformational transitions 183
Copolyesters, biodegradation 311
Copolymerization, heterogeneous 225
Copolysiloxanes 91
Copolyterephthalate 507
Copolyureas, non-linear, segmented 517
Copoly(vinylether)s, liquid crystalline 239
Copper-containing proteins 447
Crystalline modification 59
Cu(II), complexes 447
Cu/peptide 447
Cyclic ether 217
Cyclisation 217
Cyclobutanes 99
Cycloolefins 303
Cyclopentene 425

Deformation 323
-, large tensile 361
Deformation recovery 361
Degradation, oxidative 525
DGEBA 533
1,3-Diacylglycero-2-phosphocholines 65
Dialkylamino radicals 19
Diamine-diepoxide curing, network formation 209
Dielectrical behaviour 81
Diethyltoluene diamine 517
Diffusion coefficient, solute 553
Diglycidylamine 217
Diglycidylamine-aromatic amine systems 217
Diglycidyl ether of bisphenol A, curing 533
4,4'-Dihydroxy-alpha-methylstilbene 239
3,3-Dimethyl-1-butyne 303
Dioxane 111
Disintegration, compact 541
Di-styrene-ethers 295
Divinyl-terminated poly(dimethylsiloxane) 259
Drawing device, stationnary 323
Drugs, carrier polymers 311
-, carriers 337
Dynamic shear compliance 167

Elasticity 545
-, rubber 347
Electrolytes 143
Elastomer, reinforced 33
Elastomers 369, 463
Electrical conductivities 195
Electron beam preirradiation 137
Electronic properties 159
End-functionalized polymers 117
End-to-end distance 343
Entanglement 53
Epoxy, reactional capacity 217
Epoxy resins 533
—, critically branched 329
—, curing reaction 533
Ester hydrolysis, steroselective 271
Ethoxy vinyl ethers 239
Ethylaluminum dichloride 111, 441
N-Ethylaniline 217
Ethylene dimethacrylate 495
Ethylene homo- and copolymers 73
2-Ethyl-2-oxazoline 189

$FeCl_3$ 33
Ferric hydrous oxide 33
Ferrite 369
Filler 33
Fillers, iron-based 369
Flory-Stockmayer theroy 329
Fluoropolymers 137
FTD 513

Gel permeation chromatography 317
Gel point 329
Gels, cross-linked 337
Glass transition 39
Glass transition temperature 149, 155
Glassy polymers 39
Glutamic acid, copolyesters 311
GPC, preparative 317
Graft copolymerization 137
Graft copolymers 385, 473
Grafting 137, 377
Grafts 495
Graft yield 137

Hafnium-carbon bond 441
Hafnocene dichloride 441
Halobacterium halobium 87
"Hard elastic" polypropylene 355
HDPE 525
High speed drawing, infrared spectroscopy 323
Humidity sensors 501
Hybrid materials 455
Hydrogels 337
Hydrogen iodide/iodine 287
Hydrosylation 463
2-Hydroxyethyl methacrylate-ethylene dimethacrylate copolymers, macroreticular 495

Immobilization, oriented 87
Inifers, aliphatic 433
Initiation 19, 287
-, carboxyl groups 377
-, radical 253
Initiators 189
-, bifunctional 13
Initiator systems 123, 397
Ion conductors 143
Ionic conductivity 143
Ionization 159
Iron carbonyl, thermolysis 369
Iron oxide filler 33
Isobutylene 123
Isobutyl vinyl ether, living polymerization 111
Isopropenyl methyl ketone 265

Kinetic method 209

Lanthanide shift reagent 507
LCP, side-chain 91
LLDPE 525
Light scattering 175, 329
Lipids, polimerizable 65
Liposome formation 65
Liquid crystalline polymers 239
Living carbocationic polymerization 123
Living polymerization 111, 117
Living polymers 111

Maleic anhydride 99, 225
Maleimides, polymerization 1
-, N-substituted 9
Melt 53
Membranes, heterogeneous 553
-, permeable 137
-, semicrystalline 553
-, synthetic polymer 87
Mesogenic binary blends 247
Mesogens 247
Metathesis catalysts 303, 425
Methacryl derivatives 271
2-Methylmethacrylate/thiophenol, telomerization 253
2-Methyl-2-oxazoline 377
alpha-Methylstyrene 265
MMA, adducts 253
Model compounds 159
Morpholine 217
Multiblock copolymers, hard-soft 233

Natural rubber, epoxidized 391
NCA 105
Network chain 347
-, elastically active 209
Networks 217, 403, 455
-, elastomer 463
-, swollen real polymer 545
Nitrogen-containing polymers, conductivities 195
Norbornadiene dimer monomers 203
Norbornene 203
(Norbornene ethylene) copolymers 73

Olefin metathesis catalyst 203
Oligocaprolactonediols, separation 513
Oligodimethylsiloxane 473
Oligopeptides 105
Organoaluminum halides 111
Oxidative polymerization 283
Oxigen permeation, selective 473

PCT/PT copolyterephthalate, aromatic 507
PDMS 259
Peptide chains 105
Percolation theory of gelation 329
Peroxide-cured butyl rubber 33
Persulfate/aliphatic secondary amine , initiation 19
Phantom networks, swollen 545
Phase transfer catalysis 479, 485
Phenolphthalein polythiocarbonate 485
Phenols, 2,6-disubstituted 283
Phenylazo-formamidoethyl 4-t-butylazo-4-cyanovalerate 13
Phenylquinoxaline 417
Phenylquinoxaline-arylene ester block copolymers 411
Phenylquinoxaline-arylene ester copolymers 417
Photocycloaddition 99
Photopolymerization 99
PHPG 447
PIB 433
Pig liver esterase 271
Plastic 167
Plasticizer 149
Poly(acetylene) 425
Polyacetylenes, living non-conjugated 303
Poly(acetylenes), substituted 159
Poly(N-acylethyleneimine) 377
Poly(alpha-amino acid)-metal ion complexes 447
Polyalkyne 441
Polyamides 233
Poly(acrylamide) gels 81
Polyarylate, plasticized 149
Poly(arylene ester) 411
Poly(p-azophenylene) 195
Poly(p-bromostyrene) 27

Polybutadiene 403
Poly(1,3-butadiene-co-acrylic acid), epoxidized 391
Polycarbonate 485
Poly(dimethyl siloxane) 369
–, silanol terminated 455
Polydispersive polymer melts 53
Polyelectrolyte 47
Polyelectrolyte derivatives 143
Polyester blends, liquid crystalline 247
Polyester block 411
Polyester coblock 417
Polyether triamine 517
Polyethylene 323
–, degradation 525
–, glass transition 155
–, microporous 501
Polyethylene glycol, amino-terminal 487
–, carboxyl terminal 487
–, monomethyl ether 487
Polyethylene glycol 487
Polyethylene-graft-poly-2(-acrylamido--2-methylpropane sulfonate 501
Poly(ethylene vinylene sulphide) 195
Polyhydrocarbons 317
Poly(2-hydroxethyl methacrylates) 495
Polyisobutene, hydrosilylation cure 463
Polyisobutylene 33, 317, 403
Polyisobutylene propellant binders 403
Polyisobutylenes, telechelic 123, 433
Poly(isobutyl) vinyl ether 117
Polyisocyanate, MDI-based 517
Polymer, mobility 53
Polymeric electrolytes 143
Polymerization, living cationic 111, 117
Polymer-plasticizer mixtures 149
Polymer radicals, reactivity 265
Polymers, doped 195
Polymer-water interactions 337
Poly(methylacetylene) 159
Poly(2-methyl-6-geranyl-1,4-phenyleneoxide) 283
Polymorphic crystallization 59
Polymorphism 59
Poly(oxetane) 59
Polypeptides, synthetic 105
Polyphenylene ether 131

Poly(phenylquinoxaline) 411, 417
Poly(phenylquinoxaline-arylene ester) 417
Polypropylene films, "springy" 355
Poly(2,6-pyridine) 195
Poly(2,6-pyridine sulphide) 195
Polyreaction, initiated 209
Polysiloxanes, liquid crystalline 91
Polystyrene/ethyl acetate system 175
Polystyrene sulfonate 501
Poly(tetramethylene oxide) 59
Poly(trimethylene oxide) 59
Polyureas 517
Polyurethane rubber 167
Polyvinylalcohol 473
Poly(vinyl alcohol), modifications 385
Poly(vinyl alcohol-co-vinyl gallate) 385
Poly(vinyl alcohol)-lithium ion complex films 143
Poly(vinyl ethers) 117
Polyvinylfluoride 137
Postetherification, initiated 209
Postgel parameters 209
$PR(fod)_3$ 507
Propellants 493
Proton resonance, aliphatic 27
–, aromatic 27
PTMO 455
Purple membrane 277

Quenching 59

Random walk 343
Reaction injection moulding 517
Reactive polymers 391
Reinforcement 369
Relaxation times 39
Resins, diglycidylamine-type 217
–, epoxy-amine 217
–, thermosetting 1
RIM-polyureas 517
Ring opening polymerization 189
Rubber elasticity 347, 545
Rubber-polyamide multiblock copolymers 233

Scaling analysis 347
Self-doped conducting polymers 277
Semi-crystalline polymers 355
Separon® 495
Sequential copolymers 433
Silanes 259, 369
Silica 369
Silica gel 455
Silica glasses, polymer-modified 259
Silicates 455
Siloxanes 463
Soluble polymers 487
Solute diffusion coefficient 553
Solute transport 553
Sorption, polymer 337
Spheron® 495
Spontaneous symmetry breaking 343
Stilbene, polymer radical reactivities 265
Styrene 265
2-Substituted-2-oxazolines 377
Sulphur-containing polymers, conductivities 195
Swollen membranes, solute diffusion 553
Swollen networks 545
Symmetry breaking, spontaneous 343
Synthetic rubber 391

TEDLAR films 137
Telechelic polyisobutylenes 123
Telechelic polymers 433
Telechelics 513
Telomerization, radical 243
Tensile drawing behaviour 323
alpha-Terthienyl 277
Tetraethoxysilane 259, 455
Theta conditions 183
Thiophenol 253
Thiophosgene 485
Transition metal complexes 441
Tri-n-butyltin hydride 131
Triethoxy silyl chain ends 259
1-(Trimethyl-silyl)-1-propyne 303, 441

Ultradrawing 355
Ultrasonication 65

Vesicles, unilamellar 65
(Vinylbenzyliminino)oligo(DL-phenylalanine NCA) 105
Vinyl compounds 117
Vinyl ethers, ethoxy 239
Vinyl methyl ketone 265
Vinyl monomers 225
–, living cationic polymerization 111
2-(Vinylnaphthalene) maleic anhydride system 99
Vinyl polymerization 19
N-Vinylpyrrolidone 225
Viscoelastic materials, dynamic mechanical properties 167
Viscoelastic particles 541

2,6-Xylenol 131

$ZnCl_2$ 9

Indexed in *Current Contents*